



STIKep PPNI

JAWA BARAT, Indonesia

**NATIONAL CHENG KUNG
UNIVERSITY HOSPITAL, Taiwan**

CONFERENCE BOOK

ICHT

International Conference on Healthcare and Technology

*"Go beyond the technology approach toward better
healthcare quality"*

18-19 July 2019

Grand Tjokro Hotel, Bandung, West Java - Indonesia

CONFERENCE COMMITTEE

Advisor



Dr. Tri Hapsari Agustiyowati, M.Kes



Hsu I-Lin, PhD



Diwa Agus S, M.Kep

Chair



Irma Darmawati, Ners.,M.Kep.,Sp.Kep.K

Conference Secretariat



Dewi Marfuah, M.Kep



Astri Mutiar, MS

Finance and Fund-raising Committee



Heni Purnama, MNS



Hj. Imas Tjutju, AMK.,S.Pd.,MM



Fitria Agustina, A.Md.

Publication, Promotion and Publicity Committee



Dhika Dharmasnyah, M.Kep



Masdum Ibrahim, M.Kep



Agni Laili Perdani, MS

Scientific and program



Linlin Lindayani, PhD

Sponsorship & Logistics



Tri Antika R.K.P.,M.Kep.,Ns.,Sp.KMB



Tati Apriliawati, S.Pt

IT & Registration



Rena Ratna NS, Amd

15:00-15:10	Djunizar Djamaludin	Knowledge, Self-Efficacy, and Performance of Patient Education In Heart Failure Among Nurses
15:10-15:20	Hudzaifah Al Fatih	Coping Mechanism And Stress Among Emergency Department Nurses After Unsuccessful Cardiopulmonary Resuscitation
15:20-15:30	Muhammad Amin Bin Ahmad Zaki	knowledge, attitude and practice regarding dengue fever among uitm students

14:10-14:20	Susri Utami, MSN	Kangaroo mother care health education towards Mothers' attitude and motivation
14:20-14:30	Eva supriatin	The life experience family and nurses for implementating family centered care model
14:30-14:40	Dania Relina Sitompul, S.Kep., Ners, M.Kep.	Mother's Stress Experience Towards Caring for the Children with Autism
14:40-14:50	Ririn	Adolescent personal skills in HIV prevention
14:50-15:00	Winda Heriani	Practice of Dengue Prevention Among School-Age Children in Indonesia
15:00-15:10	Liza Sahara	Assesment of Nutrition Status and Fluid Status in Dengue Children in Indonesia
15:10-15:20	Eva supriatin	The life experience family of caregiver caring for child with cancer
15:20-15:30	Siti Khuzalyah, SST.,M.Kes.	The Satisfaction and Motivation of The Adolescent to Attend in a Comprehensive Teenage Health Services of Nasyiatul Aisyiyah (Pelayanan Remaja Sehat Milik Nasyiatul Aisyiyah/ PASHMINA)
15:30-15:40	Dior Manta Tambunan	Bathing Method for Preterm Infants: A Systematic Review
15:40-15:50	Popy Siti Aisyah	The Effect of the Sound of the Holy Quran on Pain Level of Neonates During Invasive Procedure
15:50-16:00	Benny M P Simanjuntak	The Correlation Between Parental Involvement And Socialcompetence Behavior Of Adolescents With Intellectual Disability In SLB NEGERI BOGOR
16:00-16:10	Mandias Reagen	Eating Wild Animal Meat with the Level of Uric Acid

Pediatric and adolescent care

Moderator : Susri Utami, MSN & Nenden Lesmana Wati, S.Kep., Ners., M.Si
Reviewer : Henny Suzana Mediani, PhD
Date 19 July 2019
Time: 13:00-16:30
Venue: Breakout room: Lily 1

Time	Name	Title
13:00-13:10	Susanti Niman	the effect of bibliotherapy on the self-esteem of early adolescents
13:10-13:20	Mikawati Rasyid S.Kp., M.Kes	Relationship of Exclusive Breastfeeding and Mother Height with Stunting among Children 2 – 5 Years Old at Puskesmas Barombong Kabupaten Gowa
13:20-13:30	Windy Rakhmawati	Experiences of getting tuberculosis diagnosis: An entry point of family to engage in tuberculosis prevention for children living in tuberculosis households in Indonesia
13:30-13:40	Ayu Yuliani S	the effect of massage therapy on the quality of bed children beta thalassemia IN GUNUNG JATI HOSPITAL CITY of CIREBON
13:40-13:50	Margareta Hesti Rahayu	Nursing practice in pediatric medication safety
13:50-14:00	Hani Liyah Thoharotul Nafsi	Disclosure Process on parent with HIV children : Qualitative Study
14:00-14:10	Nenden Lesmana Wati	The Relationship Between Therapeutic Communication And Level Of Anxiety Among Hospitalized Preschool Children In Air Force Hospital (RSAU) DR. M. SALAMUN BANDUNG




Knowledge E
Engaging minds

 **KnE Life Sciences**

The 2019 International Conference on Healthcare and Technology

18-19 July 2019

Grand Tjokro Hotel, Bandung

ISSN 2413-0877



www.KnEpublishing.com

This conference was organized by the STIKEP PPNI Jawa Barat and the National Cheng Kung University Hospital, Taiwan. Digital technology has become a trend and many traditional medical devices are gradually moving towards it. Since medical devices are closely life-related, the credibility is particularly important. When we combine medicine and technology, there are surely some unknown risks and problems that must be overcome. This conference aims to bring together all stakeholders from the Asia Pacific region to share their research results. The 2019 ICHT provides a much needed scientific platform that focuses on development issues and needs in the Asia and Pacific region. Research and clinicians will have the opportunity to present and discuss the latest development, increase the publication, and build on collaboration or networking. The speaker come from different country, such as Dr. Hang Joo Cho from Korea, Dr. Samarth Mittal from India, Prof. Koshy Philip from Malaysia, and Prof. Uman Suherman, Dr. Tutik Sri Hariyanti, Dr. Henny Suzana Mediani, Dr. Taryudi, Dr. Sugiharto, and Dr. Linlin Lindayani from Indonesia.

Conference topics: Nursing leadership and management, medical and surgical nursing, maternal and child health, critical care, mental health nursing, and community health nursing

Conference dates: 18–19 July 2019

Location: Grand Tjokro Hotel, Bandung

Chief Academic Editor: Linlin Lindayani

Organizer: STIKep PPNI Jawa Barat and National Cheng Kung University Hospital

Published: 9 October 2019

ISSN: 2413-0877



YAYASAN PANTI RAPIH
SEKOLAH TINGGI ILMU KESEHATAN PANTI RAPIH

Jalan Tantular 401 Pringwulung, Condongcatur, Depok, Sleman, Yogyakarta
Telp (0274) 518977, 542744 Fax (0274) 587143
Website : www.stikespantirapih.ac.id E-mail : stikespr@stikespantirapih.ac.id



SURAT TUGAS

Nomor: 1255/STIKes-PR/A/VII/2019

Ketua STIKes Panti Rapih Yogyakarta, dengan ini menugaskan Saudara :

No.	Nama	Jabatan
1.	Th. Titin Marlina, Ns., M.Kep	Dosen
2.	M.I. Ekatrina Wijayanti, Ns., MSN	Dosen
3.	Siwi Ikaristi M. Theresia., Ns., MSN	Dosen
4.	Margaretha Hesti Rahayu, Ns., M.Kep	Dosen
5.	Arimbi Karunia Estri, Ns., M.Kep	Dosen

Untuk menjalankan tugas sebagai **Oral & Poster Presentation** dalam acara **International Conference on Healthcare Technology** oleh **STIKEP PPNI Jawa Barat** pada:

Hari: Kamis s/d Jumat
Tanggal: 18 – 19 Juli 2019
Acara: International Conference on Healthcare Technology
Tempat: Harris Hotel & Conventions Ciumbuleuit
Bandung – Jawa Barat

Surat tugas ini dibuat, untuk dipergunakan sebagaimana mestinya.

Yogyakarta, 16 Juli 2019
Ketua,

Chatarina S. Widyastuti, M.Kep., Ns., Sp.Kep.MB

Keterangan Melaksanakan Tugas

Nama: 1/ Th. Titin Marlina; 2/ M.I. Ekatrina Wijayanti; 3/ Siwi Ikaristi M. Th.;
4/ Margaretha Hesti Rahayu; 5/ Arimbi Karunia Esti
Kegiatan: *International Conference on Healthcare Technology*
Waktu: Kamis s/d Jumat, 18 – 19 Juli 2019

Penyelenggara,

ICHCT
International Conference
Healthcare on Technology

NB :

Surat Tugas dibuat rangkap 3 lembar

- 1) Arsip sekretariat (surat tugas & laporan menjalankan tugas asli)
- 2) Arsip kepegawaian (surat tugas asli & fotocopy laporan menjalankan tugas)
- 3) Untuk yang bersangkutan

Conference Paper

Nursing Practice towards Pediatric Medication Process in Yogyakarta's Private Hospital Indonesia

Margareta Hesti Rahayu

Panti Rapih School of Health Science, Yogyakarta Indonesia

Abstract

Background: Pediatric medication safety is a greater challenge in patient safety practice. Patient safety is a quality indicator of health care. Nurses have an important role to achieve safety medication. **Objective:** To describe the nursing practice based on safety medication process. **Methods:** An observational study in 90 medication administration was conducted in May until August 2016 in one of private hospital in Yogyakarta, Indonesia. Fifty data from medical record used as a secondary data. Observation and document study was performed by two research assistants. Healthy Futures Medication Administration Skills Checklist used to collect the data of ordering, dispensing, administration and monitoring of medication process. Descriptive analytic used to analyse the data. **Results:** Regarding of the four step of implementation medication safety process during ordering phase, twenty five medication documentation in medical record were not complete. In dispensing phase, more than a half nurses observed (63,3%) were not give explanation about the medication. All of nurses have done five right principle but almost of nurses were not do the right documentation. Most of the medical record (88,9%) were not documented the side effect of drug and more than a half medical record (66,7%) were not have complete documentaion of medication effect. **Conclusion:** Poor documentation practice can give negative impact in medication safety that contribute medication error. Nurses could utilize the electronic medical record to increase quality medication safety.

Keywords: Nursing, Medication, Process, Patient Safety

Corresponding Author:

Margareta Hesti Rahayu
retha.ignaxandria@gmail.com

Received: 22 September 2019

Accepted: 4 October 2019

Published: 10 October 2019

Publishing services provided by
Knowledge E

© Margareta Hesti Rahayu. This article is distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use and redistribution provided that the original author and source are credited.

Selection and Peer-review under the responsibility of the ICHT 2019 Conference Committee.

1. Introduction

Patient safety is the biggest challenge and becomes a basic principle in health services [1]. WHO sets six international goals for patient safety as a way to improve the quality of health and patient safety services. One of the six targets is an increase in drug safety that needs to be aware of [2]. Error in drug administration is one of the dangers that threatens patient safety. In Indonesia, medication error ranks first in the top 10 reported incidents [3]. Nurses as professional health workers have an important role

 OPEN ACCESS

in realizing patient safety, but nurses are also very risky to make medication errors [4]. The incidence of medication errors committed by nurses in one hospital in Indonesia reached 81% and medication errors that occurred in elderly patients reached 1.563 cases. All medication errors occur at the administration stage performed by nurses [5, 6]. However, the incidence of medication errors in children in Indonesia is unclear due to lack of research on medication errors in children.

Types of medication error occurrences are medication dosage errors and infusion droplet speeds caused by unclear and inadequate information about drugs and naming of drugs [7]. The occurrence of medication errors in children, especially in the emergency room, often occurs and is caused by a lack of knowledge of health workers about the formulation and dosage of drugs in children, unclear drug orders and lack of ability to use information technology in medicine [8].

The process of treatment in patients becomes routine activities of the nurses starting from the preparation, administration and evaluation as well as documentation of the drugs given [9]. Nurses need to ensure that the drugs prepared and given are safe for patients. Nurses are also responsible for reducing the incidence of medication errors by having a high awareness of the risk of errors in drug administration [10]. Moreover, nurses have the responsibility of carrying out 5 correct principles in administering drugs thereby reducing the risk of medication errors. Based on these data above, it is necessary to identify the practice of nurses in medicine.

2. Methods

2.1. Study design

This study used a quantitative descriptive study with an observational study approach. This study aimed to describe the nursing practice in ordering, preparation, administration and monitoring stages.

2.2. Sample

The population in this study were all nurses in the pediatric care ward of one private hospital in Yogyakarta. The sample in this study used a total sampling population, that was all implementing nurses in the ward (30 nurses).

2.3. Instrument

The instruments used in this study were observation guidelines and documentation study sheets such as Healthy Futures Medication Administration Skills Checklist dari Early Childhood Education Linkage System (ECLS) Healthy Child Care Pennsylvania. This guideline is used to see the practice of nurses when conducting assessments, administering drugs and documenting treatment measures in pediatric patients. Each checklist item will be given a value of 2: if all were done or documented, 1: if partially done or documented, 0: if not done or documented.

2.4. Data collection procedure

Data collection conducted in this study included participant observation and study of documentation from May to August 2016. Data collection to see nurses' practices at the ordering and monitoring stages was conducted by documentation studies in 50 medical records, conducted in conjunction with observation activities. Data collection by observation was performed 90 times, where each nurse was observed 3 times in the morning and afternoon shifts. Observational data collection is used to see nursing practice at the preparation and administration stages, while the documentation study was carried out to see nurses' practices at the ordering and monitoring stages.

2.5. Data analysis

Data analysis of observations and documentation studies were analyzed by descriptive analysis to determine the percentages using Microsoft Excel.

3. Results

All nurses who were respondents in this study were women, nearly half of them had year of service more than 9 years (45.7%) and most of them were Nursing Diploma III graduates (82.8%). The results of the documentation study on 50 medical records showed that documentation about the treatment explanation was incomplete (50%). Documentation for assessment of a patient's medication history last treatment (84%) and history of allergy were complete (86%), this data showed in Table 1.

At the preparation stage the nurse prepares the medicine and explains the medicine to be given. All nurses check and prepare the amount of drugs according to the program

TABLE 1: Result of study documentation in medical record in Ordering Phase (n=50).

Items Documentation Study	Not Complete Documentation n (%)	Complete Documentation n (%)
The Children's history include: The health status of children History of previous medication History of allergies	8(16)7(14)	50 (100)42(84)43(86)

(100%), but nurse did not explain the function of the drug given (63.3%), all the data are showed in Table 2.

TABLE 2: Results of observation and study documentation dispensing stage (n=90).

Item of observation	No n (%)	Yes n (%)
Preparatio of medication include:		
Nurses check the amount of medication to be administered		90 (100)
Nurses prepare appropriate medication program		90 (100)
The nurse explained to the child and family include:		
Explaining the name of the medication	40 (44.4)	50 (55.6)
Explaining the function of medication administered	57 (63.3)	33 (36.7)
Explaining the mode of administration	48 (53.3)	42 (46.7)

All nurses administered drugs with 5 correct principles (100%), but its documentation had not been done completely (97.8%) (Table 3).

TABLE 3: Result of observation administration stage: six right principles in the pediatric (n=90).

Item of Observation	No n (%)	Yes n (%)
Administration Stage include:		
Right patient		90 (100)
Right medication		90 (100)
Right dosage		90 (100)
Right route		90 (100)
Right time		90 (100)
Right documentation	88 (97.8)	2 (2.2)

Documentation at the monitoring stage regarding the effects of treatment was not yet complete (66.7%) and side effects of the drug were not done completely (88.9%) (Table 4).

TABLE 4: Result of observation stage of monitoring in the pediatric ward (n=90).

Item of observation	No n (%)	Yes n (%)
Monitoring Stage include:		
Effects of treatment: the documentation of patient reports about the expected response of medication administered	60(66.7)	30(33.3)
Side effects: there is documentation of the patient's reporting unexpected response: allergic reactions or side effects	80(88.9)	10(11.1)

4. Discussion

Based on descriptive data analysis, documentation about the treatment explanation in patients was incomplete (50%). This can be interpreted that the nurse gives an explanation but does not document or even not provide an explanation of treatment to patients and families. Documentation of the assessment of the last treatment history was complete (84%) and the history of children allergies were also complete (86%). Nurses need to examine the history of drug allergy and medication that has been used previously, this is done to determine the right treatment and possible drug interactions, so that the safety of treatment in patients can be achieved [11, 13]. Assessment is the first step in the process of nursing where the nurse on duty to collect data, analyze and organize the data. At the assessment stage the nurse gathers objective and subjective data including the patient's medical history [14]. If the assessment of the patient's treatment history is incomplete, it can cause medication errors [15].

All nurses checked the amount of drugs to be given and prepare the drugs according to the program (100%), but the documentation that the drugs had been checked was incomplete (77.8%). Based on the data above, it showed the nurse's awareness of the safety of treatments in patients was quite high as evidenced by nurses always checking the amount of medicine to be given and preparing it according to the program. Nurses play a role in preventing medication errors by checking the drugs to be given [16]. Checking drugs that will be given include the name of the drug, dose, method and frequency of drug administration [17]. Incomplete documentation can cause errors in interpretation so that it can cause errors and adverse event [18]. At the time of observation, the nurse did not explain in detail the drugs to be given specifically the function of the drug. This shows that the incomplete documentation about explanation of treatment in patients due to the nurses did not provide an explanation to the patient. The nurse have to provide education about drugs given to the patient and family to

increase the patient's knowledge. Providing education to patients and families about medication helps reduce medication error and improve treatment safety [2]. All nurses had implemented 5 correct principles, namely correct patient, correct drug, correct dose, correct time and correct method, however, in terms of correct documentation was still incomplete (97.8%). Correct documentation was only performed in part, that is, nurses only write names or only sign after giving the drug. Nurses' awareness of patient safety, especially the safety of medication is very high, this is evidenced by all nurses giving medicines by implementing 5 correct principles. The principle of correct documentation had not been carried out completely by nurses. Correct documentation in drug administration means documenting drug administration after being given [19]. Proper and accurate documentation plays a role in increasing the safety of treatment in patients, then the documentation must be done clearly and unambiguously so as not to cause a different perception of others [2]. The results of documentation studies about monitoring of drug response or drug side effects were incomplete, this mean that nurses had not performed complete monitoring of drug responses or drug side effects. Monitoring of the response and side effects of drugs that have been given is the responsibility of the nurse to evaluate the patient's response to treatment given specifically the patient's physiological response [16]. If the patient has an allergy and it is not documented then the doctor can give the same type of drug to the patient and several drugs can provide side effects within a certain period and can cause serious problems. Lack of nurse knowledge about the drugs given both the expected effects, side effects and allergic reactions that may arise can lead to lack of motivation of nurses to monitor so that no unexpected drug reactions are reported [20].

5. Conclusion

At the ordering stage, the nurse conducted a history of treatment and explanation of treatment but the documentation is incomplete. In the preparation stage, all nurses check the drugs and prepare the drugs according to the program but the drug checking documentation is incomplete. All nurses administer drugs with 5 correct principles at the drug administration stage, however not all nurses do correct documentation. In the final stage of the monitoring stage, nurses have not documented completely about the effects of treatment and side effects of treatment.

References

- [1] WHO. (2017). Patient safety making health care safer. Retrieved from <https://apps.who.int>. Accessed 12 July 2019
- [2] WHO (2011). Improving medication safety. Retrieved from <http://www.who.int>. Accessed 25 August 2015
- [3] Departemen Kesehatan RI. (2008). Tanggung jawab apoteker terhadap keselamatan pasien. Retrieved 30 Oktober 2019, from <http://www.binfar.depkes.go.id/bmsimages/1361517912.pdf>
- [4] Françolin, L., Gabriel, C. S., Bernardes, A., Silva, A. E. B. D. C., Brito, M. D. F. P., & Machado, J. P. (2015). Patient safety management from the perspective of nurses. *Revista da Escola de Enfermagem da USP*, 49(2), 0277-0283.
- [5] Ernawati, D. K., Lee, Y. P., & Hughes, J. D. (2014). Nature and frequency of medication errors in a geriatric ward: an Indonesian experience. *Therapeutics and clinical risk management*, 10, 413.
- [6] Simamora, S. (2011). Peran Tenaga Teknis Kefarmasian Dalam Menurunkan Angka Kejadian Medication Error. *Jurnal Manajemen Pelayanan Kesehatan*, 14(04).
- [7] Ehsani, S. R., Cheraghi, M. A., Nejati, A., Salari, A., Esmaeilpoor, A. H., & Nejad, E. M. (2013). Medication errors of nurses in the emergency department. *Journal of medical ethics and history of medicine*, 6.
- [8] Benjamin, L., Frush, K., Shaw, K., Shook, J. E., Snow, S. K., AMERICAN ACADEMY OF PEDIATRICS Committee on Pediatric Emergency Medicine, & EMERGENCY NURSES ASSOCIATION Pediatric Emergency Medicine Committee. (2018). Pediatric medication safety in the emergency department. *Pediatrics*, 141(3), e20174066.
- [9] Magalhães, A. M. M. D., Moura, G. M. S. S. D., Pasin, S. S., Funcke, L. B., Parda, B. M., & Kreling, A. (2015). The medication process, workload and patient safety in inpatient units. *Revista da Escola de Enfermagem da USP*, 49(SPE), 43-50.
- [10] Durham, B. (2015). The nurse's role in medication safety. *Nursing2019*, 45(4), 1-4.
- [11] Center for Technology and Aging. (2010). Medication management process. Retrieved from www.techandaging.org
- [13] FitzGerald, R. J. (2009). Medication errors: the importance of an accurate drug history. *British journal of clinical pharmacology*, 67(6), 671-675.
- [13] Purwanto, B. (2013). *Herbal dan Keperawatan Komplementer*. Indonesia, Yogyakarta: Nuha Medika.
- [14] Toney-Butler, T. J., & Unison-Pace, W. J. (2019). Nursing Admission Assessment and Examination. In *StatPearls [Internet]*. StatPearls Publishing.

- [15] Barnsteiner, J. H. (2008). Medication Reconciliation In: Patient safety and quality: An evidence-based handbook for nurses. Publishing in:< http://ftp.ahrq.gov/qual/nursesfdbk/docs/BarnsteinerJ_MR.pdf>. Accessed June, 15, 2015.
- [16] Potter, P. P. (2010). *Fundamental Keperawatan*. Jakarta: Salemba Medika.
- [17] CRNBC. (2015). Medication: The nurse's role in dispensing, compounding and administering medication in British Columbia. Retrieved from www.crnbc.ca
- [18] Jefferies, D., Johnson, M., & Nicholls, D. (2011). Nursing documentation: how meaning is obscured by fragmentary language. *Nursing outlook*, 59(6), e6-e12.
- [19] Kozier, B. (2010). *Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik*, Edisi 7, Volume 1. Jakarta: EGC.
- [20] Valente, S., & Murray, L. P. (2011). Creative strategies to improve patient safety: allergies and adverse drug reactions. *Journal for Nurses in Professional Development*, 27(1), E1-E5.